

15. (Currently amended) A one-piece paper assembly comprising:
- a single ply of suitable paper with a top edge, a bottom edge, a first side edge and a second side edge to define a sheet;
 - a translucent area disposed in the sheet, ~~the translucent panel being formed by a method of transparentizing including~~ between the first and second side edges;
 - ~~preselecting an application site on the sheet to be transparentized;~~
 - ~~providing a transparentizing material;~~
 - ~~applying the transparentizing material to the preselected application site;~~
 - ~~providing a first heat source;~~
 - ~~exposing the application site to heat supplied by the first heat source for a period of time;~~
 - ~~providing a first curing agent; and~~
 - ~~exposing the application site to the first curing agent for a period of time;~~
 - one or more fold lines traversing a width of the sheet to form one or more panel sections;
 - a line of weakening disposed longitudinally along the first side edge of the sheet to define a first marginal strip between the line of weakening and the first side edge, and a line of weakening disposed longitudinally along the second side edge to define a second marginal strip between the line of weakening and the second side edge;
 - ~~a line~~ one or more lines of adhesive or cohesive disposed longitudinally along each of the first and second marginal strips; and
 - one or more lines of adhesive or cohesive disposed ~~along the top edge of the sheet~~ at one or more positions along the top edge of the sheet, the one or more adhesive or cohesive positions being at least one of: (i) located flush with the top edge of the sheet and (ii) located proximate to the top edge of the sheet.
16. (Original) The one-piece paper assembly of claim 15, further comprising a feed strip with a plurality of pin-holes attached to each of the first and second side edges.

17. (Original) The one-piece paper assembly of claim 15, further comprising an insert incorporated with the sheet, the insert adhered to the sheet by adhesive disposed just inside lines of weakening extending longitudinally along the first and second side edges of the insert and coincident with the lines of weakening of the sheet.

18. (Currently amended) The one-piece paper assembly of claim 15, further comprising a return envelope incorporated with one of the panel sections, the return envelope adhered to the sheet by adhesive disposed just inside the lines of weakening and along the bottom edge of the sheet to form a pocket.

19. (Original) The one-piece paper assembly of claim 15, wherein the translucent area being capable of receiving printing from a laser-printer or other printing device such that information or data are directly printed on the translucent area in reverse font imaging.

20. (Currently amended) The one-piece paper assembly of claim 15, wherein the translucent area is located at a predetermined position in the assembly such that when the assembly is ~~transversely~~ folded along the one or more fold lines, the translucent area is on an outer surface of the assembly and information and data printed on an inner surface of the assembly are displayed through the translucent area.

21. (New) A one-piece intermediate or business form comprising:
a single ply of suitable paper with a top edge, a bottom edge, a first side edge and
a second side edge to define a sheet;
one or more fold lines traversing a width of the sheet between the first and second
side edges to define one or more panel sections;
a translucent area disposed in the sheet between the first and second side edges;
a line of weakening disposed longitudinally along the first side edge of the sheet
to define a first marginal strip between the line of weakening and the first side edge, and
a line of weakening disposed longitudinally along the second side edge to define a second
marginal strip between the line of weakening and the second side edge;
one or more lines of adhesive or cohesive disposed longitudinally along each of
the first and second marginal strips of each of the panel sections; and
one or more lines of adhesive or cohesive disposed at one or more positions along
the top edge of the sheet, the one or more adhesive or cohesive positions being at least
one of: (i) located flush with the top edge of the sheet and (ii) located proximate to the
top edge of the sheet.

22. (New) A one-piece intermediate or business form comprising:
- a single ply of suitable paper with a top edge, a bottom edge, a first side edge and a second side edge to define a sheet;
 - one or more fold lines traversing a width of the sheet between the first and second side edges to define one or more panel sections;
 - a translucent area disposed along a first panel section defined between the top edge and a first fold line;
 - a line of weakening disposed longitudinally along the first side edge of the sheet to define a first marginal strip between the line of weakening and the first side edge, and a line of weakening disposed longitudinally along the second side edge to define a second marginal strip between the line of weakening and the second side edge;
 - one or more lines of adhesive or cohesive disposed longitudinally along each of the first and second marginal strips of each of the panel sections; and
 - one or more lines of adhesive or cohesive disposed at one or more positions along the top edge of the sheet, the one or more adhesive or cohesive positions being at least one of: (i) located flush with the top edge of the sheet and (ii) located proximate to the top edge of the sheet.

23. (New) A one-piece intermediate or business form comprising:
a single ply of suitable paper with a top edge, a bottom edge, a first side edge and
a second side edge to define a sheet;
one or more fold lines traversing a width of the sheet between the first and second
side edges to define one or more panel sections;
a translucent area disposed along a first panel section defined between the top
edge and a first fold line;
a line of weakening disposed longitudinally along the first side edge of the sheet
to define a first marginal strip between the line of weakening and the first side edge, and
a line of weakening disposed longitudinally along the second side edge to define a second
marginal strip between the line of weakening and the second side edge;
a continuous line of adhesive or cohesive disposed longitudinally along each of
the first and second marginal strips of each of the panel sections; and
one or more lines of adhesive or cohesive disposed at one or more positions along
the top edge of the sheet, the one or more adhesive or cohesive positions being at least
one of: (i) located flush with the top edge of the sheet and (ii) located proximate to the
top edge of the sheet.

24. (New) A one-piece intermediate or business form comprising:
- a single ply of suitable paper with a top edge, a bottom edge, a first side edge and a second side edge to define a sheet;
 - two fold lines traversing a width of the sheet between the first and second side edges to define three panel sections of the sheet;
 - a translucent area disposed along a first panel section defined between the top edge and a first fold line;
 - a line of weakening disposed longitudinally along the first side edge of the sheet to define a first marginal strip between the line of weakening and the first side edge, and a line of weakening disposed longitudinally along the second side edge to define a second marginal strip between the line of weakening and the second side edge;
 - a continuous line of adhesive or cohesive disposed longitudinally along each of the first and second marginal strips extending along each of the three panel sections; and
 - one or more lines of adhesive or cohesive disposed at one or more positions along the top edge of the sheet, the one or more adhesive or cohesive positions being at least one of: (i) located flush with the top edge of the sheet and (ii) located proximate to the top edge of the sheet.

25. (New) A one-piece intermediate or business form comprising:
a single ply of suitable paper with a top edge, a bottom edge, a first side edge and
a second side edge to define a sheet;
one or more fold lines traversing a width of the sheet between the first and second
side edges to define one or more panel sections;
a translucent area disposed along a panel section defined between the top edge of
the sheet and a fold line;
a line of weakening disposed longitudinally along the first side edge of the sheet
to define a first marginal strip between the line of weakening and the first side edge, and
a line of weakening disposed longitudinally along the second side edge to define a second
marginal strip between the line of weakening and the second side edge;
one or more lines of adhesive or cohesive disposed longitudinally along each of
the first and second marginal strips of each of the panel sections;
one or more lines of adhesive or cohesive disposed at one or more positions
adjacent the top edge of the sheet, the one or more adhesive or cohesive positions being
at least one of: (i) located flush with the top edge of the sheet and (ii) located proximate
to the top edge of the sheet; and
a return envelope disposed along a panel section defined between the bottom edge
of the sheet and a fold line, the return envelope including a suitably sized single-ply of
paper disposed between the first and second side edges along the third panel and adhered
to the third panel by one or more longitudinal lines of adhesive or cohesive located
between and adjacent the lines of weakening and one or more lines of adhesive or
cohesive located along the bottom edge of the sheet.

26. (New) A one-piece intermediate or business form comprising:
- a single ply of suitable paper with a top edge, a bottom edge, a first side edge and a second side edge to define a sheet;
 - one or more fold lines traversing a width of the sheet between the first and second side edges to define one or more panel sections;
 - a translucent area disposed along a panel section defined by the top edge and a first fold line;
 - a line of weakening disposed longitudinally along the first side edge of the sheet to define a first marginal strip between the line of weakening and the first side edge, and a line of weakening disposed longitudinally along the second side edge to define a second marginal strip between the line of weakening and the second side edge;
 - one or more lines of adhesive or cohesive disposed longitudinally along each of the first and second marginal strips of each of the panel sections;
 - one or more lines of adhesive or cohesive disposed at one or more positions adjacent the top edge of the sheet, the one or more adhesive or cohesive positions being at least one of: (i) located flush with the top edge of the sheet and (ii) located proximate to the top edge of the sheet; and
 - a return envelope disposed along a panel section defined between the bottom edge of the sheet and a fold line, the return envelope including a suitably size single-ply of paper disposed between the lines of weakening along the third panel and adhered to the third panel by one or more longitudinal lines of adhesive or cohesive located between and adjacent the lines of weakening and one or more lines of adhesive or cohesive located along the bottom edge of the sheet.